



MOTORS







LIGHTING

LED BOARDS or **LAMPS**—All integrated light kits, light kit accessories and accessory fitters utilize LED technology and meet ENERGY STAR 4.0 and CEC TITLE 24 specifications.

CCT SELECT


How do you like your light—warm, white or cool? Now you can choose! Featured on our DC fans and Kwartet, CCT Select allows you to choose the correlated color temperature (CCT) of your fan's light kit—3,000K, 4,000K or 5,000K.





PULL-TO-DIM

PC/DC L, LK179 accessory light kit and fitters F5, F6 & F8 feature Pull-to-Dim technology.



WIFI FANSYNC-VOICE & SMART CONTROLS



CONTROL YOUR CEILING FAN WITH YOUR SMART DEVICES & PERSONAL VOICE ASSISTANTS!





- AC fan—3 fan speeds
- Fan and downlight control
- Timer, safe exit and favorites list via smart



- WFR55 Kwartet only
 - fanSync WiFi® receiver
 - AC fan—3 fan speeds · Fan and downlight control
 - Timer, safe exit and favorites list via smart



DC WiFi*

- fanSync WiFi® receiver • DC fan-variable fan speeds
- Fan and downlight control
- Included with DC ceiling fans



Download the fanSync Wifi app in the Google Play or App Store and follow the simple setup instructions.

Hey Google

Turn bedroom fan on.

Hey Google

Turn bedroom light on.



Alexa

Turn living room fan on.

Alexa

Turn living room light on.

amazon echo

INTEGRATES WITH:













LOCATION

Where you will install your fan is the first step in selecting the right fan for your space.

- Dry, indoor location: Choose from any of our fans—dry, damp or wet rated.
- Outdoor covered or high-humidity indoor location: Choose from our damp or wet rated fans.
- Outdoor location with likely direct contact with water: Choose from our wet rated fans.








AIRFLOW

When you buy a fan, you want to know that it will provide the airflow and comfort you desire. The Department of Energy (DOE) has made that decision easier with an airflow test procedure.

DOE AIRFLOW TEST PROCEDURE

The ceiling fan is mounted directly to the ceiling using the fan's included downrod. Hugger fans are flush-mounted. A sensor arm gauges airflow from various points along the length of the blade.



Additionally, packaging highlights the average-speed airflow, which, of course, is lower than the high-speed CFM numbers previously listed. We have chosen to include high-speed values in this catalog, along with the average-speed values required on the Energy Guide label.



ENERGY STAR	ENERGY GUIDE					
AVERAGE	TOTAL AIR VOLUME	ENERGY USE	ESTIMATED YEARLY ENERGY COST	AIRFLOW EFFICIENCY		
SPEED	4,873 CFM	22 Watts	\$6	217 CFM/Watts		

 ${\it Energy Guide label-packaging}$



TABLE OF CONTENTS

Aire Deluxe™—Light	22	Spitfire™ DC 64 Flush	94
Aire Deluxe™—No Light	20	Spitfire™ DC 72	
Amped™	18	Spitfire™ DC 72 Flush	98
Arden™	196	Spitfire™ DC 84	100
Brewmaster®	192	Spitfire™ DC 84 Flush	102
Celano v2 TM	28	Spitfire™ DC 96	104
Doren™	30	Spitfire™ DC 96 Flush	106
Edgewood® 44	178	Stellar™ Custom 56	164
Edgewood® 52	180	Stellar™ Custom 64	166
Edgewood® 62	182	Stellar™ Custom 72	168
Edgewood® 72	184	Stellar™ Custom 84	170
Embrace™ 44	14	Stellar™ Custom 96	172
Embrace™ 52	16	Torch™	68
Gleam TM	38	TriAire™ Custom 44	136
GlideAire™	66	TriAire™ Custom 48	138
Henry™	40	TriAire™ Custom 52	140
Hugh™ 44	48	TriAire™ Custom 56	142
Hugh™ 52	50	TriAire™ Custom 60	144
Islander®	188	TriAire™ Custom 64	146
Kellan™	34	TriAire™ Custom 72	148
Klinch TM 44	44	TriAire™ Custom 84	150
Klinch™ 52	46	Windpointe®	186
Kute5™ 52	60	Wrap™ Custom 44	118
Kute5™ 52 Flush	62	Wrap™ Custom 48	120
Kute [™] 44	52	Wrap™ Custom 52	122
Kute™ 44 Flush	54	Wrap™ Custom 56	124
Kute™ 52	56	Wrap™ Custom 60	126
Kute™ 52 Flush	58	Wrap™ Custom 64	128
Kwad™ 44	24	Wrap™ Custom 72	130
Kwad™ 52	26	Wrap™ Custom 84	132
Kwartet TM	42	Xeno™ Damp	70
Levon™ AC	32	Xeno [™] Wet	72
Levon TM Custom 52	110	Zonix™ Wet Custom 44	76
Levon™ Custom 64	112	Zonix™ Wet Custom 52	78
Levon TM Custom 72	114	Motor Info	3
Obvi TM	12	Lighting Info	3
Odyn™ Custom 56	154	WiFi FanSync—Voice & Smart Control Info	4
Odyn™ Custom 64	156	Location Info	5
Odyn™ Custom 72	158	Airflow Info	5
Odyn™ 84	160	Blades	197
Palisade®	190	Lighting—Light Kit, Fitters and Shades	198
PC/DCTM—Light	176	Controls	199
PC/DC™—No Light	174	Downrods & Extentension Poles	203
SculptAire TM	64	Close-to- & Sloped-Ceiling Kits	204
Spitfire™ AC 48	82	Finish Swatches	205
Spitfire™ AC 48 Flush	84	Antique Fan Museum	207
Spitfire™ AC 60	86	Index	209
Spitfire™ AC 60 Flush	88		
Spitfire TM DC 64	92		

INDOOR FANS



INDOOR/OUTDOOR FANS



INDOOR/OUTDOOR FANS



PORTABLE




ACCESSORIES





OBVITM





MOTOR TYPE & SIZE

FAN SPEEDS variable

LOCATION RATING

DC 153 x 12

HIGH-SPEED RPM 386






Reverse switch on remote

HIGH-SPEED CFM 1,426 CFM





LIGHTING (light kit included)



(4) 6W Center Band LED (included) (6) 4W Arm LED (included)

LIGHTING SPECS

lumens: 1,370 CCT: 3,000k CRI: 90

\$5

MOUNTING TYPE







downrod

sloped

flush 4.5" included up to 27° included sold separately









1,177 CFM



62 CFM/Watts

ENERGY GUIDE ENERGY ESTIMATED YEARLY AIRFLOW TOTAL AIR VOLUME USE **ENERGY COST EFFICIENCY AVERAGE SPEED**

19 Watts

CERTIFICATION





** replace with available finish code below

optional accessories

(sold separately

mounting



Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Kit (up to 42°) SCK1-52



controls



2-wire Wall Remote TW206D

FP3050** motor & blade finish combinations







view larger swatches on n. 205



EMBRACE™ 44





 $\ensuremath{^{\star\star}}$ replace with available finish code below

optional accessories

(sold separately)



2-wire Fan-only Wall Control WC1WH



3-wire Fan + Light Wall Control WC2WH



2-wire Fan-only Wall Remote WR500WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50

FPS7981B** motor & blade finish combinations













view larger swatches on page 205



EMBRACE™ 52





 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)





dark bronze + dark bronze

AMPED™




\$13

79 CFM/Watts

SPEED

3,612 CFM

46 Watts



 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)

mounting



Sloped Ceiling Ball (up to 42°) SCB1-52



Longer **Downrods** page 203


controls



3-wire Fan + Light Wall Control WR501WH



WiFi Smart Receiver WFR50










arms & light kit with black blades




black + brushed satin brass blade matte white + brushed satin brass blade arms & light kit with matte white blades



view larger swatches on page 205



AIRE DELUXE™ 52 NL



\$10

102 CFM/Watts

SPEED

3,496 CFM

34 Watts



 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)



Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Kit (up to 42°) SCK1-52



controls



2-wire Fan-only Wall Control WC1WH



2-wire Fan-only Wall Remote WR500WH



WiFi Smart Receiver WFR50

FP6285B** motor & blade finish combinations



matte greige + weathered



dark bronze + reversible cherry/dark walnut




matte white + matte white


wood

GR



AIRE DELUXE™ 52





 $[\]ensuremath{^{**}}$ replace with available finish code below

(sold separately)



Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Kit (up to 42°) SCK1-52



controls



3-wire Fan + Light Wall Control WC2WH




2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50

FP6284** motor & blade finish combinations







dark bronze + reversible cherry/dark walnut





wood

view larger swatches on page 205




KWAD™ 44







 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)












KWAD™ 52






 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

+matte white

view larger swatches on page 205

optional accessories


(sold separately)








CELANO V2TM





 $\ensuremath{^{\star\star}}$ replace with available finish code below


optional accessories

Longer


Downrods

page 203

(sold separately



FP8062B** motor & blade finish combinations




view larger swatches on page 205



DORENTM





 $[\]ensuremath{^{\star\star}}$ replace with available finish code below


Longer

page 203

(sold separately)





FP8533** motor & blade finish combinations





LEVONTM AC





 $[\]ensuremath{^{\star\star}}$ replace with available finish codes below

(sold separately)



Light Kits, Fitters & Shades see page 198

Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control WC1WH



3-wire Fan + Light Wall Control WC2WH



2-wire Fan-only Wall Remote WR500WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50

FP7910** motor & blade finish combinations



black + black



matte greige + weathered wood



brushed nickel + reversible brushed nickel/black




matte white + matte white



view larger swatches on page 205




KELLANTM



MIX & MATCH FAN MOTOR, BLADES & LIGHT KIT SOLD SEPARATELY



 $[\]ensuremath{^{\star\star}}$ replace with available finish code below











GLEAM™





MOTOR TYPE & SIZE

FAN SPEEDS 3

LOCATION RATING

AC 82 x 30

HIGH-SPEED RPM 563







Reverse switch on fan


(light kit included)

HIGH-SPEED CFM 1,531 CFM





LIGHTING



20W LED

LIGHTING SPECS

20W integrated LED

lumens: 2,200 CCT: 3,000k CRI: 90









downrod

sloped

flush 4.5" included up to 20° included sold separately











ENERGY GUIDE

AVERAGE **SPEED**

TOTAL AIR VOLUME

1,206 CFM

ENERGY USE

33 Watts

ESTIMATED YEARLY ENERGY COST

\$9

AIRFLOW **EFFICIENCY**

36 CFM/Watts

CERTIFICATION





 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)




FP3050** motor & blade finish combinations



view larger swatches on page 205



HENRYTM



CONTROL TYPE 0@e <u>@@</u>@ **⊚⊚**

MOTOR TYPE & SIZE

FAN SPEEDS 3

LOCATION RATING

TR500 handheld remote included

AC 153 x 15

HIGH-SPEED RPM 343





Reverse switch on fan

HIGH-SPEED CFM 1,282 CFM

LIGHTING SPECS





LIGHTING (light kit included)



lumens: 1,500 CCT: 3,000k



MOUNTING TYPE



CRI: 90

sloped





downrod





18W LED with opal frosted glass



ENERGY GUIDE

AVERAGE **SPEED**

TOTAL AIR VOLUME

1,105 CFM

ENERGY USE

11 Watts

ESTIMATED YEARLY ENERGY COST


\$3

AIRFLOW **EFFICIENCY**

104 CFM/Watts

CERTIFICATION





optional accessories (sold separately)



Close-To-Ceiling CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52





FP8519BL motor & blade finish combinations





KWARTETTM







(sold separately)


controls



2-wire Fan + Light CCT Wall Control WT503WH



WiFi Smart Receiver WFR55





GR matte greige + weathered wood




MW matte white + matte white





KLINCH™ 44





 $\ensuremath{^{\star\star}}$ replace with available finish code below

optional accessories

(sold separately)

controls

2-wire Fan-only Wall Control WC1WH



3-wire Fan + Light Wall Control WC2WH



2-wire Fan-only Wall Remote WR500WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50

FPS7681** motor & blade finish combinations






MW
matte white + matte white



KLINCH™ 52





 $\ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)

2-wire Fan-only Wall Control WC1WH

2-wire Fan-only Wall Remotes

3-wire Fan + Light Wall Control WC2WH

2-wire Fan-only Wall Remote WR500WH


2-wire Fan + Light
Wall Remote
WR501WH




WiFi Smart Receiver WFR50


FPS7679** motor & blade finish combinations





HUGH™ 44









WiFi Smart Receiver WFR50



HUGH™ 52






 $\ensuremath{^{\star\star}}$ replace with available finish code below

optional accessories


(sold separately)








KUTE™ 44





 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)

lighting



LED Light Kit

mounting



Close-To-Ceiling Kit CCK8534**

LK8534**



😭 Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Wall Remote TW306

ordering example



LK8534BS (brushed satin brass light kit)



FPD8547** motor & blade finish combinations



black + black



brushed satin brass + black



matte greige + weathered wood



brushed nickel + brushed nickel




dark bronze + dark walnut



matte white + matte white








\$6

137 CFM/Watts

SPEED

2,861 CFM

21 Watts



 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)

lighting



LED Light Kit LK8534**

controls



2-wire Wall Remote TW306

ordering example



FPD8547** motor & blade finish combinations





brushed satin brass + black



matte greige + weathered wood



brushed nickel + brushed nickel



dark bronze + dark walnut




matte white + matte white





KUTE™ 52





 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)

lighting



LED Light Kit

mounting



Close-To-Ceiling Kit CCK8534**

LK8534**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Wall RemoteTW306

ordering example



FPD8534** motor & blade finish combinations






view larger swatches on page 20!

brushed satin brass + matte white

KUTE™ 52 FLUSH





 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)

lighting



LED Light Kit

controls



2-wire Wall Remote TW306

LK8534**

ordering example




FPD8534** motor & blade finish combinations






brushed satin brass + matte white

KUTE5™ 52





 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)

lighting



LED Light Kit

mounting



Sloped Ceiling Ball (up to 42°) SCB1-52

LK8534**



Longer Downrods page 203

controls



2-wire **Wall Remote** TW306

FPD5534DZ (dark bronze motor with dark walnut blades)

LK8534DZ (dark bronze light kit)

ordering example



FPD5534** motor & blade finish combinations



black + black



brushed satin brass + black



matte greige + weathered wood



brushed nickel + brushed nickel



dark bronze + dark walnut




matte white + matte white





KUTE5™ 52 FLUSH





 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)

lighting



LED Light Kit

controls



2-wire **Wall Remote** TW306

LK8534**

ordering example

FPD5534MW (matte white motor with matte white blades) CCK8534MW (matte white close-to-ceiling kit) LK8534MW



motor & blade finish combinations





brushed satin brass + black



matte greige + weathered wood



brushed nickel + brushed nickel



dark bronze + dark walnut





matte white + matte white






SCULPTAIRE™





 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

(sold separately)




FP8511** motor & blade finish combinations





GLIDEAIRETM




\$5

218 CFM/Watts

SPEED

3,746 CFM

17 Watts



** replace with available finish code below

optional accessories

(sold separately)





Sloped Ceiling Kit (up to 42°)
SCK1-52



controls




2-wire Wall Remote TW206D


FPD8520** motor & blade finish combinations





TORCH™





 $\ensuremath{^{\star\star}}$ replace with available finish code below

optional accessories

(sold separately)



Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



3-wire Fan + Light Wall Control WC3WH



2-wire Fan + Light Wall Remote WR502WH

FP8458** motor & blade finish combinations



black + black



matte greige + weathered wood




brushed nickel + brushed nickel








XENOTM






ENERGY GUIDE					CERTIFICATION
AVERAGE SPEED	TOTAL AIR VOLUME 4,654 CFM	ENERGY USE 44 Watts	ESTIMATED YEARLY ENERGY COST \$12	AIRFLOW EFFICIENCY 106 CFM/Watts	c UL us



(sold separately)





FP6728BBN motor & blade finish combinations





XENO™ WET





(sold separately)



Close-To-Ceiling CCK8002**



Sloped Ceiling Kit (up to 42°) SCB1-52



controls



3-wire Fan + Light Wall Control WC2WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50

FP6729B*** motor & blade finish combinations



black + black















ZONIX™ WET 44







*** replace with available finish codes below

optional accessories

(sold separately)





MA4660MWW (matte white motor)

BPW4660-44MWW (matte white blade set)

LK4660MWW (matte white light kit)



motor & light kit finishes



blade finishes

Longer

Downrods

page 203





ZONIX™ WET 52







*** replace with available finish codes below

optional accessories

(sold separately)





MA4660BLW (black motor) + BPW4660-52BLW (black blade set) + LK4660BLW (black light kit)



motor & light kit finishes



blade finishes

Longer

Downrods

page 203











SPITFIRE™ 48






** replace with available finish codes below

optional accessories

(sold separately)







Sloped Ceiling Kit (up to 42°) SCK1-52

Longer Downrods page 203

controls



2-wire Fan-only Wall Control WC1WH



3-wire Fan + Light Wall Control WC2WH



2-wire Fan-only **Wall Remote** WR500WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50

ordering example

MA6721BBS (brushed satin brass motor) B6720-48BL (black blade set) LK6721BBS (brushed satin brass light kit)



motor, light kit & close-to-ceiling kit finishes




matte white





SPITFIRE™ FLUSH 48






^{**} replace with available finish codes below

optional accessories

(sold separately)



WFR50

ordering example



motor, light kit & close-to-ceiling kit finishes











SPITFIRE™ 60






** replace with available finish codes below

optional accessories

(sold separately)





Sloped Ceiling Kit (up to 42°) SCK1-52



controls



2-wire Fan-only Wall Control WC1WH



3-wire Fan + Light Wall Control WC2WH



2-wire Fan-only **Wall Remote** WR500WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50

ordering example



(matte greige light kit)

motor, light kit & close-to-ceiling kit finishes



matte white

blade finishes






SPI

SPITFIRE™ FLUSH 60





^{**} replace with available finish codes below

optional accessories

(sold separately)



Close-To-Ceiling
Kit
CCK6721**

controls



2-wire Fan-only Wall Control WC1WH



3-wire Fan + Light Wall Control WC2WH



2-wire Fan-only Wall Remote WR500WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50

ordering example





matte white











SPITFIRE™ DC 64





** replace with available finish codes below

optional accessories

(sold separately)



mounting Close-To-Ceiling Kit CCK6721**



Sloped Ceiling Kit (up to 42°) SCK1-52

Longer Downrods page 203

controls



2-wire Fan-only Wall Control TW306

ordering example MAD6721GR (matte greige motor) B6720-64WE (weathered wood blade set) LK6721BDCGR (matte greige light kit)



motor, light kit & close-to-ceiling kit finishes



matte white


blade finishes



galvanized

SPITFIRE™ DC 64 FLUSH





** replace with available finish codes below

optional accessories

(sold separately)



controls



2-wire Fan-only Wall Control TW306


ordering example




motor, light kit & close-to-ceiling kit finishes











SPITFIRE™ DC 72





** replace with available finish codes below

optional accessories

(sold separately)



mounting Close-To-Ceiling Kit



Sloped Ceiling Kit (up to 42°) SCK1-52

Longer Downrods page 203

controls



2-wire Fan-only Wall Control TW306

CCK6721**

ordering example



motor, light kit & close-to-ceiling kit finishes




matte white





SPITFIRE™ DC 72 FLUSH





 $[\]ensuremath{^{**}}$ replace with available finish codes below

optional accessories

(sold separately)



controls



2-wire Fan-only Wall Control TW306




motor, light kit & close-to-ceiling kit finishes








SPITFIRE™ DC 84





** replace with available finish codes below

optional accessories

(sold separately)







Sloped Ceiling Kit (up to 42°) SCK1-52

Longer Downrods page 203

controls



2-wire Fan-only Wall Control TW306

CCK6721**







motor, light kit & close-to-ceiling kit finishes



matte white





SPITFIRE™ DC 84 FLUSH





 $\ensuremath{^{**}}$ replace with available finish codes below

optional accessories

(sold separately)



controls



MAD6721DF (driftwood motor)

2-wire Fan-only Wall Control TW306

ordering example




motor, light kit & close-to-ceiling kit finishes








SPITFIRE™ DC 96





 $\ensuremath{^{\star\star}}$ replace with available finish codes below

optional accessories

(sold separately)



mounting Close-To-Ceiling Kit



Sloped Ceiling Kit (up to 42°) SCK1-52


Longer Downrods page 203

controls



2-wire Fan-only Wall Control TW306

CCK6721**



MAD6721BS (brushed satin brass motor) B6720-96MW (matte white blade set)

BL

black

ordering example









BN









ВL



WE





ΒN

brushed nickel








white washed

SPITFIRE™ DC 96 FLUSH





** replace with available finish code below

optional accessories

(sold separately)

light kit **LED Light Kit** LK6721BDC**

controls



2-wire Fan-only Wall Control TW306

ordering example



motor, light kit & close-to-ceiling kit finishes













LEVON™ CUSTOM 52





^{**} replace with available finish codes below

optional accessories

(sold separately)



LED Light Kit LK7912B**

mounting



Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306



ordering example



motor & light kit finishes

LK7912BGZ (galvanized light kit)



matte white


B7914** blade finish options



brushed nickel



cherry/walnut reversible





washed pine

weathered wood

galvanized


CY


N

ww

white washed

LEVON™ CUSTOM 64





^{**} replace with available finish codes below

optional accessories

(sold separately)



LED Light Kit LK7912B**

mounting



Close-To-Ceiling Kit CCK8002**




Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306






motor & light kit finishes



B7912** blade finish options




BPW7912** composite blade finish options








LEVON™ CUSTOM 72





^{**} replace with available finish codes below

optional accessories

(sold separately)



LED Light Kit LK7912B**

mounting





Sloped Ceiling Ball (up to 42°) SCB1-52

Longer Downrods page 203

controls



2-wire Fan-only Wall Control TW306





motor & light kit finishes



B7913** blade finish options





cherry/walnut reversible

BPW7913** composite blade finish options



weathered wood





CY

cherry

N

galvanized










** replace with available finish codes below

optional accessories

(sold separately)



mounting Close-To-Ceiling Kit CCK8002**





Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example





motor & light kit finishes









MIX & MATCH FAN MOTOR, BLADES & LIGHT KIT SOLD SEPARATELY DC MOTOR required (sold separately) Motor MAD8530** Includes remote: Blade Set BPW8530-48**

** replace with available finish codes below

optional accessories

(sold separately)



mounting Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example




motor & light kit finishes











 $\ensuremath{^{\star\star}}$ replace with available finish codes below

optional accessories

(sold separately)







Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example

MAD8530MW (matte white motor) + BPW8530-52WW (white washed blade set) + LK8530MW (matte white light kit)




motor & light kit finishes











** replace with available finish codes below

optional accessories

(sold separately)



Close-To-Ceiling
Kit
CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example




motor & light kit finishes











** replace with available finish codes below

optional accessories

(sold separately)



mounting Close-To-Ceiling Kit CCK8002**




Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306



MAD8530DZ (dark bronze motor) BPW8530-60DWA (dark walnut blade set) LK8530DZ (dark bronze light kit)



DΖ

blade finishes









ww

motor & light kit finishes








white washed





 $\ensuremath{^{\star\star}}$ replace with available finish codes below

optional accessories

(sold separately)







Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example

MAD8531BN (brushed nickel motor) + BPW8531-64BN

(brushed nickel blade set) + LK8530BN (brushed nickel light kit)




motor & light kit finishes











** replace with available finish codes below

optional accessories

(sold separately)



mounting Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example



blade finishes

natural























** replace with available finish codes below

optional accessories

(sold separately)



Close-To-Ceiling
Kit
CCK8002**




Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306





LK8530GR (matte greige light kit)



motor & light kit finishes





dark bronze














 $\ensuremath{^{\star\star}}$ replace with available finish codes below

optional accessories

(sold separately)

light kit



LED Light Kit LK8514**

mounting



Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example

MAD8514MWW (matte white motor)

BPW8514-44MWW (matte white blade set)

LK8514MWW (matte white light kit)



motor & light kit finishes



blade finishes









SLW











*** replace with available finish codes below

optional accessories

(sold separately)

light kit



LED Light Kit LK8514**

mounting



Close-To-Ceiling
Kit
CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example

MAD8514DZW (dark bronze motor) + BPW8514-48DWAW (dark walnut blade set) + LK8514DZW (dark bronze light kit)



motor & light kit finishes



blade finishes









SLW


silver











*** replace with available finish codes below

optional accessories

(sold separately)

light kit



LED Light Kit LK8514**

mounting



Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52




controls



2-wire Fan-only Wall Control TW306







motor & light kit finishes



blade finishes









SLW

silver weathered wood







*** replace with available finish codes below

optional accessories

(sold separately)

light kit



LED Light Kit LK8514**

mounting



Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example

MAD8514BLW (black motor) BPW8514-56BLW (black blade set)

LK8514BLW (black light kit)



motor & light kit finishes



blade finishes







dark walnut




SLW

silver

weathered wood

WEW







ht kit LK8514**

Close-To-Ceiling
Kit
CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example







motor & light kit finishes











*** replace with available finish codes below

optional accessories

(sold separately)

light kit



LED Light Kit LK8514**

mounting 5



Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example

MAD8515SLW (silver motor) + BPW8515-64SLW (silver blade set) + LK8514SLW (silver light kit)

motor & light kit finishes

BLW

black



blade finishes







MWW matte white




DZW

dark bronze








STOM 64





*** replace with available finish codes below

optional accessories

(sold separately)

light kit



LED Light Kit LK8514**

mounting



Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example



motor & light kit finishes

BLW

black



blade finishes



silver









DZW

dark bronze




SLW

WEW weathered wood

TRIARE™ CUSTOM 84





*** replace with available finish codes below

optional accessories

(sold separately)

light kit



LED Light Kit LK8514**

mounting



Close-To-Ceiling Kit CCK8002**




Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306





MAD8515GRW





motor & light kit finishes



blade finishes



SLW

silver





dark walnut

DWAW


MWW

matte white











ODYN™ CUSTOM 56





*** replace with available finish codes below

optional accessories

(sold separately)



Sloped Ceiling Ball (up to 42°) SCB1-52

Longer **Downrods** page 203

controls



2-wire Fan-only **Wall Control** TW306

ordering example





motor & light kit finishes




blade finishes






ODYN™ CUSTOM 64



MIX & MATCH FAN



*** replace with available finish codes below

optional accessories

(sold separately)



g

Sloped Ceiling Ball (up to 42°) SCB1-52 Longer
Downrods
page 203

controls



2-wire Fan-only Wall Control TW306

ordering example






blade finishes






ODYN™ CUSTOM 72



MIX & MATCH FAN





optional accessories

(sold separately)



Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example

MAD8152MWW (matte white motor)

BPW8152-72MWW (matte white blade set)



DZW

dark bronze

motor & light kit finishes



blade finishes







brushed nickel




MWW






view larger swatches on page 205

ODYNTM 84





*** replace with available finish code below

optional accessories

(sold separately)





Sloped Ceiling Ball (up to 42°) SCB1-52




Longer Downrods page 203

controls



2-wire Fan-only **Wall Control** TW306






view larger swatches on page 205








STELLAR™ CUSTOM 56





*** replace with available finish codes below

optional accessories

(sold separately)





Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only **Wall Control** TW306

ordering example



(black blade set)

motor & light kit finishes






blade finishes








STELLAR™ CUSTOM 64





*** replace with available finish codes below

optional accessories

(sold separately)



Close-To-Ceiling Kit CCK8002**



Sloped Ceiling Ball (up to 42°) SCB1-52



Longer **Downrods** page 203

controls



2-wire Fan-only Wall Control TW306

ordering example



DR1SS-24BLW (black 24" downrod)



motor & light kit finishes






blade finishes








STELLAR™ CUSTOM 72





*** replace with available finish codes below

optional accessories

(sold separately)





Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306

ordering example





motor & light kit finishes






blade finishes







view larger swatches on page 205



STELLAR™ CUSTOM 84





*** replace with available finish codes below

optional accessories

(sold separately)





Sloped Ceiling Ball (up to 42°) SCB1-52



controls



2-wire Fan-only Wall Control TW306



motor & light kit finishes



blade finishes




SLW silver

iew larger swatches on page 205

silver



STELLAR™ CUSTOM 96





*** replace with available finish codes below

optional accessories

(sold separately)



Sloped Ceiling Ball (up to 42°) SCB1-52

7998-96***

Longer **Downrods** page 203

controls



2-wire Fan-only **Wall Control** TW306

ordering example

MAD7998BLW (black motor) B7998-96BLW (black blade set) DR1SS-24BLW

(black 24" downrod)



motor & light kit finishes






blade finishes




SLW silver



PC/DC NLTM





*** replace with available finish codes below

optional accessories

(sold separately)





Sloped Ceiling Ball (up to 42°) SCB1-52

Longer Downrods page 203


FPD7617** motor & blade finish combinations





PC/DC LTM





*** replace with available finish codes below

optional accessories

(sold separately)






Sloped Ceiling Ball (up to 42°) SCB1-52




FPD7619** motor & blade finish combinations




view larger swatches on page 205



EDGEWOOD® 44





*** replace with available finish codes below

optional accessories

(sold separately)

light kit

🖒 Light Kits, Fitters & Shades see page 198

mounting

Sloped Ceiling Kit (up to 42°) SCK1-52



Longer Downrods page 203

controls



2-wire Fan-only Wall Control WC1WH



3-wire Fan + Light Wall Control WC2WH



2-wire Fan-only Wall Remote WR500WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50

FP9044** motor & blade finish combinations



DZW


dark bronze + dark walnut








EDGEWOOD® 52





*** replace with available finish codes below

optional accessories

(sold separately)



(up to 42°) SCK1-52



Longer Downrods page 203

2-wire Fan-only Wall Control WC1WH



3-wire Fan + Light Wall Control WC2WH



2-wire Fan-only Wall Remote WR500WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50

blades

controls



54" Wood Blade Set (Indoor Only) B254**



54" Composite Blade Set B654**

FP9052** motor & blade finish combinations





brushed nickel + dark walnut matte white + matte white





blade finish options-B254**








blade finish options—B654** dark walnut








EDGEWOOD® 60





optional accessories

(sold separately)



Sloped Ceiling Kit (up to 42°) SCK1-52



Longer Downrods page 203

controls

2-wire Fan-only Wall Control WC1WH



3-wire Fan + Light Wall Control WC2WH



2-wire Fan-only Wall Remote WR500WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50





60" Wood Blade Set (Indoor Only) B260**



60" Composite Blade Set B660**


FP9060** motor & blade finish combinations



DZW



brushed nickel + dark walnut matte white + matte white



blade finish options-B260**





dark walnut






walnut




dark walnut



EDGEWOOD® 72





*** replace with available finish codes below

optional accessories

(sold separately)



Light Kits, Fitters & Shades see page 198

mounting



Sloped Ceiling Kit (up to 42°) SCK1-52



Longer Downrods page 203

controls



2-wire Fan-only Wall Control WC1WH



3-wire Fan + Light Wall Control WC2WH



2-wire Fan-only Wall Remote WR500WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50

blades



72" Wood Blade Set (Indoor Only)

B254**

FP9072** motor & blade finish combinations



DZW

dark bronze + dark walnut





blade finish options-B272**






matte white


dark walnut







WINDPOINTE®




\$12

106 CFM/Watts

AVERAGE **SPEED**

4,654 CFM

44 Watts



optional accessories

(sold separately)



Light Kits, Fit-ters & Shades see page 198



Sloped Ceiling Ball (up to 42°) SCB1-52

Longer Downrods page 203





2-wire Fan-only Wall Control WC1WH



3-wire Fan + Light Wall Control WC2WH



2-wire Fan-only Wall Remote WR500WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50

FP7500** motor & blade finish combinations



antique brass + natural palm




oil-rubbed bronze + red/brown palm



rust + antique bamboo



ISLANDER®



\$14


38 CFM/Watts

AVERAGE SPEED

1,927 CFM

50 Watts

MIX & MATCH FAN MOTOR, BLADES & LIGHT KIT SOLD SEPARATELY



 $[\]ensuremath{^{\star\star}}$ replace with available finish code below

optional accessories

(sold separately)



Light Kits, Fitters

& Shades
see page 198

mounting



Sloped Ceiling Ball (up to 42°) SCB1-52



Longer Downrods page 203

controls



2-wire Fan-only Wall Control WC1WH



3-wire Fan + Light Wall Control WC2WH




2-wire Fan-only Wall Remote WR500WH



2-wire Fan + Light Wall Remote WR501WH



WiFi Smart Receiver WFR50







motor & fan head finishes



antique brass



oil-rubbed bronze



blade finish options (blades on page 197)



antique bamboo



cherry




reversible oak/walnut



sambel sand



PALISADE®



\$9


45 CFM/Watts

SPEED

1,383 CFM

31 Watts

MIX & MATCH FAN MOTOR, BLADES & EXTENSION POLE SOLD SEPARATELY



^{**} replace with available finish code below

__replace with pole length (24, 30, 36, 48, 60 or 72)

optional accessories

decorative



Monkey P48



Filigree

mounting



Sloped Ceiling Ball (up to 42°) SCB52

controls




Wall Remote C25



Switch Cup Receiver SW24**

ordering example

FP240OB (oil-rubbed bronze motors) EP48OB (48-inch oil-rubbed bronze extension pole) B5080CP (cairo purple wood blade set)



motor & fan head finishes









blade finish options (blades on page 197)







cairo purple



clear bamboo





sambel sand



view larger swatches on page 205

BREWMASTER®

HANGING DIMENSIONS

See our model-specific specification sheet for dimensions and con igurations-

Not for use in soundsensitive areas.





MOTOR TYPE & SIZE

3

LOCATION RATING

AC FK2100

HIGH-SPEED RPM

FAN SPEEDS

127













Reverse switch on remote

HIGH-SPEED CFM N/A









downrod

sloped

flush







CERTIFICATION





MIX & MATCH FAN MOTOR, BLADES & LIGHT KIT SOLD SEPARATELY



^{**} replace with available finish code below

optional accessories

(sold separately)

controls



2-wire Fan + Light **Wall Remote** C21

ordering example






motor & fan head finishes





blade finish options (blades on page 197)





reversible oak/walnut



palm





The Brewmaster® carries on Fanimation's reputation for reproducing unusual, yet functioning, belt-drive fans. These fans were originally produced in the late 1800s by Snediker & Carr®, the premier belt-drive fan manufacturer of their day. Fanimation has adapted this timeless masterpiece to install and operate with more ease and durability.

- Neoprene belting replaces the high-maintenance leather belts.
- Lead and copper babbitt sleeves have given way to sealed ball bearings.
- Hardwood laminate blades that resist warping and splitting replace the temperamental solid wood blades.

The Brewmaster® combines the latest technology with several blade options including the original oversized wood blade design. The Brewmaster® is powered by a gearless direct drive motor, and allows you to operate one or two fans.





ARDEN™





 $\ensuremath{^{**}}$ replace with available finish codes below








view larger swatches on page 205



MIX-AND-MATCH BLADE SETS

- Blades come in sets of five (5) for Islander, two (2) for Brewmaster® and eight (8) for Palisade®.
- Due to the nature of the materials and the hand-crafted processes; stain, color, texture and shading will vary.

dry



BREWMASTER® BLADES





antique

woven bamboo

U.S. Patent #D437.406





BMP1 - 22" long 52" sweep natural palm leaf

U.S. TM Reg #2,812,018



FP1022 25" long 56" sweep reversible oak/walnut wood



FP1026

25" long

56" sweep

cherry

wood



FP1030



56" sweep



ISLANDER® BLADES























26" long

ISD1A · 22" long 52" sweep

 antique woven bamboo LLS Patent #D437406

ISD4A

52" sweep antique woven bamboo LLS Patent #D437406

52" sweep antique composite LLS Patent #D437406

BPD4A 22" long 52" sweep

antique composite LLS Patent #D437406 **BPD4MW**

52" sweep matte white composite LLS Patent #D437406

BPW6090DNA

60" sweep natural palm composite U.S. Patent #D633,194

























22" long ISP1 52" sweep natural



22" long 52" sweep natural palm leaf

U.S. TM Reg #2,812,018

BPP1TN

· 22" long 52" sweep natural palm · composite U.S. TM Reg #2,812,018

BPP4TN

52" sweep natural palm composite U.S. Patent #D433,118

22" long

BPP1BR

52" sweep brown/red composite U.S. TM Reg #2,812,018

BPP4BR

52" sweep brown/red composite U.S. Patent #D433,118

22" long BPW20CY

20" long 48" sweep cherry composite







B5340WA

























52" sweep walnut · wood

22" long 52" sweep walnut

· wood

B5350WA

26" long 60" sweep walnut · wood

B5330WA

22" long 52" sweep walnut · wood

B6130WA 26" long 60" sweep walnut

· wood

B6133TKMH

26" long 60" sween teak/mahogany

· wood

BPW24MW 22" long 52" sweep matte white

composite

PALISADE® BLADES























18" long





B5080CP · 22" long 52" sweep cairo purple wood









52" sweep natural woven bamboo U.S. Patent #D450.380

44" sweep antique woven bamboo U.S. Patent #D450.380

LED LIGHT KIT, FITTERS AND SHADES

- Light kits and fitters are for use with Aire Deluxe™, Edgewood™, Islander™, Levon™ AC, and Windpointe™.
- Light bulb requirements vary and are listed for each fitter.
- Pull-chain light kits come with chain and fob.
- · Light bulbs included.
- Glass sold separately (excludes LK179**)
- UL LISTED

LOW PROFILE LIGHT KIT








LK179AB

LK179BLW LK179BNW LK179DZW I K179GRW LK179MWW

- · 18W dimmable LED included Lumens (initial): 1,500
- Color Temp: 3,000
- CRI: 90
- White frosted lens included



- Second pull = Begins dimming
- Third pull = Stops dimming
- Fourth pull = Off

F5 FITTER + MIX-AND-MATCH GLASS BOWLS

Bowl dimensions: 11.5"W x 3.35"H



F6 FITTER + MIX-AND-MATCH GLASS SHADES

Shade dimensions: 10"W x 5.5"H



F8 FITTER + MIX-AND-MATCH 21/4 GLASS SHADES (REQUIRES 4 PIECES OF GLASS)











UL LISTED	WFR50	DC WiFi*	CR500	CRL4WH	
O Optional	WFR50 • WiFi® connectivity • Fan and downlight	*Part numbers are fan specific and listed below	Non-reversible fan and light remote Receiver unit and hand-held	Non-reversing fan and light remote Learn-mode canopy receiver unit for easy set up and 65,000 code settings included	
Included	Receiver unit AC motors only	listed below • WiFi connectivity • Fan and downlight • Receiver unit	transmitter 5 dipswitches for 32 code settings 3 fan speeds	I • 4 fan sneeds	
Do not store or mount remote controls outdoors		• DC motors only	Downlight control	1.25 amps max. fan load Infinite light levels up to 190 watts Dimmer on/off switch for use with CFL bulbs (dimmer must be turned off) May be used with CWRL4**	
WH—White LA—Light Almond					
Aire Deluxe [™] 52	0		0	0	
Amped™					
Brewmaster®					
Celano v2™	0			0	
Doren™	0				
Edgewood® 44	0		0	0	
Edgewood® 52	0		0	0	
Edgewood® 60	0		0	0	
Edgewood® 72	0		0	0	
Embrace [™] 44	0				
Embrace [™] 52	0				
Gleam™	0			0	
GlideAire™		•			
Henry™					
Hugh™—All	0			0	
Islander® AC	0		0	0	
Kellan™					
Klinch™—All	0				
Kute [™] —All		•			
Kwad™—All	0			0	
Kwartet™					
Levon™AC	0		0	0	
Levon™ Custom—All		•			
Obvi™					
Odyn [™] Custom		•			
Odyn™ 84		•			
Palisade [®]					
PC/DC-All					
SculptAire™	0			0	
Spitfire™AC—All	0			0	
Spitfire™DC-All		•			
Stellar™—All		•			
Torch™					
TriAire™—All		•			
Windpointe®	0		0	0	
Wrap™ —All		•			
Xeno™ Damp	0			0	
Xeno™ Wet	0			0	
Zonix™ Wet Custom	0			0	



- SW24**

 Palisade® receiver unit

 Receiver unit only

 For use with C25 control







- CW5WH & CW5LA

 Fan-only two fan slide control
 2-wire installation
 3 fan speeds



- CW6WH
 Palisade® fan and light control
 J-position light levels



0	
	0
	9
0	
	0
0	0
O O	0
0	0
O O	
	0
	9
0	
0	
	0
0	0
0 0)
0	0
0	0
0	0









- Wall controls include matching face plate
- Control options are not available for Punkah®
- UL LISTED

- TW206

 DC reversible fan and light control

 Mounts over switch plate

 2-wire installation

 Variable fan speeds

 Downlight control

- TW206D

 DC reversible fan and light control

 Mounts over switch plate

 2-wire installation

 Variable fan speeds

 Downlight control

- Control opprovision on control opportunity (Control opportunity) 2 (Control opportunity) 1 (Control opportunity) 2 (Control	face plate					
Complete	Control options are not available for Punkah®	CWRL4WH & CWRL4LA Non-reversing fan and light control	TW206 • DC reversible fan and light control	DC reversible fan and light control	TW306 • DC reversible fan and light control	
Compared to the control will control outdoors Compared to the control outdoors		2-wire installation 3 fan speeds	Mounts over switch plate	Mounts over switch plate 2-wire installation	Mounts over switch plate	
Name	O Optional	10 amns may fan load	Variable fan speeds Downlight control	Variable fan speeds Downlight control	2-wire installation	
### ### ##############################	Do not store or mount wall	with 65,000 code settings included Infinite light levels up to 190 watts	For use with fans that include TR205 remote only	For use with fans that include TR205D remote only	Downlight control For use with fans that include TR305	
Arre Delune* 52		May be used with CRL4WH			remote only	
### Amped" ####################################						
Brewmaster#						
Cetano x2"						
Doren" Edgewood* 44						
Edgewood* 44		U				
Edgewood* 52 Edgewood* 52 Edgewood* 52 Edgewood* 52 Embrace* 44 O Embrace* 44 O Glean!* O Glean! Clean!						
Edgewood® 60						
Edgewood* 72 O O O O O O O O O O O O O O O O O O						
Embrace* 34	-					
Embrace* 52						
GlideAnire						
GlideAire"						
Henry"		0		_		
Hugh"-All O				0		
Islander* AC	-					
Kellan" Klinch"-All Kute"-All O Kwad"-All O Kwartet" O Levon" AC O Levon" Custom-All O Obvi" O Odyn" Custom O Odyn" S4 O Palisade® O PC/DC-All O SoulptAire" O Spitfire" All O Stellar"-All O Torch" O TriAire"-All O Windpointe®-All O Windpointe®-All O Xeno" Damp O Xeno" Wet O	Hugh™—All					
Kitch"—All	Islander® AC	0				
Kute"—All	Kellan™					
Kwadi"—All O Kwartet" O Levon" AC O Levon" Custom—All O Obvi" O Odyn" Custom O Odyn" 84 O Palisade® O PC/DC—All O SculptAire" O Spitfire"—All O Spitfire" DC—All O Stellar"—All O Torch" O TriAire"—All O Windpointe®—All O Wrap"—All O Xeno" Damp O Xeno" Wet O	Klinch™—All					
Kwartet Kwar	Kute™—All				0	
Levon" AC	Kwad™—All	0				
Levon™ Custom—All O Odyn™ Custom O Odyn™ 84 O Palisade® O PC/DC—All SculptAire™ SculptAire™ O O Spitfire™DC—All O Spitfire™DC—All O Torch™ O TriAire™—All O Windpointe®—All O Wrap™—All O Xeno™ Damp O Xeno™ Wet O	Kwartet™					
Obvi™ O Odyn™ Custom O Odyn™ 84 O Palisade® O PC/DC-All SculptAire™ SculptAire™ O O Spitfire™-All O Spitfire™DC-All O Stellar™-All O Torch™ O TriAire™-All O Windpointe®-All O Wrap™-All O Xeno™ Damp O Xeno™ Wet O	Levon™AC	0				
Odyn™ 84 O Palisade® O PC/DC_All O SculptAire™ O Spitfire™ All O Spitfire™ DC_All O Stellar™—All O Torch™ O Windpointe®—All O Windpointe®—All O Xeno™ Damp O Xeno™ Wet O	Levon™ Custom—All				0	
Odyn" 84 Palisade® PC/DC—All SculptAire™ O Spitfire™—All Spitfire™ DC—All Spitfire™—All Torch™ TriAire™—All O Windpointe®—All O Xeno™ Damp O Xeno™ Wet	Obvi™			0		
Palisade® PC/DC-All SculptAire™ O Spitfire™-All O Spitfire™DC-All O Stellar™-All O Torch™ O TriAire™-All O Windpointe®-All O Wrap™-All O Xeno™ Damp O Xeno™ Wet O	Odyn™ Custom				0	
PC/DC-All SculptAire™ O Spitfire™-All Spitfire™DC-All Stellar™-All TriAire™-All Windpointe®-All Wrap™-All O Xeno™ Damp O Xeno™ Wet	Odyn™ 84				0	
SculptAire™ O Spitfire™—All O Stellar™—All O Torch™ O Windpointe®—All O Wrap™—All O Xeno™ Damp O Xeno™ Wet O	Palisade®					
Spitfire™-All Spitfire™DC-All Stellar™-All Torch™ TriAire™-All Windpointe®-All Wrap™-All Xeno™ Damp Xeno™ Wet	PC/DC—All					
Spitfire™ DC-All Stellar™-All Torch™ TriAire™-All Windpointe®-All Wrap™-All Xeno™ Damp Xeno™ Wet O O Stellar™-All O O O O O O O O O O O O	SculptAire™	0				
Stellar™—All O Torch™ O TriAire™—All O Windpointe®—All O Wrap™—All O Xeno™ Damp O Xeno™ Wet O	Spitfire™—All					
Torch™ O TriAire™ -All O Windpointe®-All O Wrap™ -All O Xeno™ Damp O Xeno™ Wet O	Spitfire™ DC—All				0	
Torch™ O TriAire™ -All O Windpointe®-All O Wrap™ -All O Xeno™ Damp O Xeno™ Wet O	Stellar™—All				0	
Windpointe®-All O Wrap™-All O Xeno™ Damp O Xeno™ Wet O	Torch™					
Windpointe®-All O Wrap™-All O Xeno™ Damp O Xeno™ Wet O	TriAire™—All				0	
Wrap™ -All O Xeno™ Damp O Xeno™ Wet O	Windpointe®-All	0				
Xeno™ Damp O Xeno™ Wet O	Wrap™ —All				0	
Xeno™ Wet O	Xeno™ Damp	0				
	Xeno™ Wet					
	Zonix [™] Wet Custom					



- WC1WH

 Fan only control

 Control on/off rocker



WC2WH

Fan and light control
Control on/off rocker



WC3WH

• Fan and
uplight/downlight



- WR500WH
 Fan only control
 Control on/off rocker



- WR501WH

 Fan and light control

 Control on/off rocker



- WR502WH

 Fan and uplight/
 downlight control
 Control on/off rock
- WT503WH

 Fan and light control

 CCT Select control

 Control on/off rocker

Control or/on rocker switch 3 fan speeds 2-wire hardwire installation	Control on/our rocker switch 3 fan speeds Dimming 3-wire hardwire installation	control Control on/off rocker switch Tan speeds Dimming A-wire hardwire installation	Control or/or rocker switch 3 fan speeds Receiver included 5 dip switch 2-wire installation	Control on/on rocker switch 3 fan speeds Receiver included 5 dip switch 2-wire installation	downlight control Control on/off rocker switch 3 fan speeds Receiver included 5 dip switch 2-wire installation	Control on/off rocker switch fan speeds Transmitter only dip switch - wire installation For use with Kwartet only
0	0		0	0		
	0			0		
	0			0		
0	0		0	0		
0	0		0	0		
0	0		0	0		
0	0		0	0		
0	0		0	0		
0	0		0	0		
	0			0		
0	0		0	0		
0	0		0	0		
0	0		0	0		
	0			0		
						0
0	0		0	0		
0	0		0	0		
0	0		0	0		
		0			0	
0	0		0	0		
0	0		0	0		
0	0		0	0		
0	0		0	0		

DOWNRODS & EXTENSION POLES

DOWNRODS

- Order according to length
- Use finish code to complete the part number larger swatches on page 205
- See bottom of page for suggested lengths

DOWNROD COUPLERS



- Joins two downrods together for extended lengths When ordering, use finish code for steel downrods
- shown below to complete the part number.
 - 1" diameter downrod coupler

STEEL

DR1-12**	12" downrod
DR1-18**	18" downrod
DR1-24**	24" downrod
DR1-36**	36" downrod
DR1-48**	48" downrod
DR1-60**	60" downrod
DR1-72**	72" downrod

AB antique brass	BL black	BN brushed nickel	brushed satin brass	CH	DF driftwood	DZ dark bronze
GR matte greige	GZ galvanized	MW matte white	OB oil-rubbed bronze	PN polished nickel	RS	

TRUE STAINLESS STEEL


Wet location rated. Resistant to rust and corrosion.


DR1SS-12*** 12" wet downrod DR1SS-18*** 18" wet downrod DR1SS-24*** 24" wet downrod DR1SS-36*** 36" wet downrod DR1SS-48*** 48" wet downrod DR1SS-60*** 60" wet downrod DR1SS-72*** 72" wet downrod




CHOOSING YOUR DOWNROD


Recommended downrod length is based on ceiling height. Ideal distance from floor to fan blades is 7 to 9 feet—does not apply to Palisade.











For lengths greater than 72 in., join two downrods with DR1-CP** coupler

For sloped-ceiling applications.	Rise
Run	→ Y

Pitch (Rise/Run)	Angle	Minimum Downrod
1/12	4.8°	Standard
2/12	9.5°	
3/12	14.0°	12"
4/12	18.4°	12"
5/12	22.6°	18"
6/12	26.5°	18"
7/12	30.3°	24"
8/12	33.7°	24"
> 8/12	> 33.7°	> 36"
Ideal distance from	n floor to fan h	lades is 7 to 9 feet

PALISADE® EXTENSION POLES

- For use with Palisade® only
- Order according to length Use finish code
- to complete the part number
- EP24** 24" pole EP30** 30" pole EP36** 36" pole
- EP48** 48" pole EP60** 60" pole EP72** 72" pole







EXTENSION POLE COUPLERS



- For use with Palisade® only
- Joins two extension poles together for extended lengths
- Use finish code to complete the part number.


EPCP** Extension pole coupler

CLOSE-TO- & SLOPED-CEILING KITS

CLOSE-TO-CEILING KIT



- Replaces hanger bracket/downrod assembly to move your fan closer to the ceiling, creating more head room
- Intended for use with low ceilings.
- Please see individual fan pages for compatibility
- · Tall and short kits both included.
- Tall dimensions: 5.13" (H) x 8" (DIA.)
- Short dimensions: 2.67" (H) x 8" (DIA.)
- For 4.5" included downrod fans: Subtract 3.74" for short close to ceiling kit and 1.28" for tall close to ceiling kit
- For 6" included downrod fans: Subtract 5.24" for short close to ceiling kit and 2.78" for tall close to ceiling kit



STANDARD

CCK8002AB	antique brass	CCK8002MW	matte white
CCK8002BL	black	CCK8002OB	oil-rubbed bronze
CCK8002BN	brushed nickel	CCK8002PN	polished nickel
CCK8002CH	chrome	CCK8002RS	rust
CCK8002DZ	dark bronze		

CCK8002ABW	antique brass wet	CCK8002GRW	matte greige wet
CCK8002BLW	black wet	CCK8002MWW	matte white wet
CCK8002BNW	brushed nickel wet	CCK8002OBW	oil-rubbed bronze wet
CCK8002BSW	brushed satin brass wet	CCK8002RSW	rust wet
CCK8002DFW	driftwood wet	CCK8002SLW	silver wet
CCK8002DZW	dark bronze wet		

SPITFIRE™ ONLY

CCK8002GZ galvanized

CCK6721BL	black	CCK6721DZ	dark bronze
CCK6721BN	brushed nickel	CCK6721GR	matte greige
CCK6721BS	brushed satin brass	CCK6721GZ	galvanized
CCK6721DF	driftwood	CCK6721MW	matte white

KUTE™/KUTE5™ ONLY

WET RATED

CCK8534BL	black	CCK8534GR	matte greige
CCK8534BN	brushed nickel	CCK8534MW	matte white
CCK8534BS	brushed satin brass		
CCK8534DZ	dark bronze		


SLOPED-CEILING BALL KIT



- Includes black hanger ball only
- See spec section of individual fan pages for compatibility with your fan.
- Hanger ball works with current Fanimation canopy and hanger bracket.
- Allows for ceiling slope up to 42°.
- For use with any length downrod

SCB1-52 For use with 1" dia. downrods

dark bronze



SLOPED-CEILING KIT



- Includes hanger bracket, hanger ball, ceiling canopy, canopy screw cover and mounting hardware
- See spec section of individual fan pages for
- compatibility with your fan.
- Allows for ceiling slope up to 42° For use with any length downrod

STANDARD


SCK1-52DZ

SCK1-52BL SCK1-52GR matte greige SCK1-52BN SCK1-52GZ brushed nickel galvanized SCK1-52BS brushed satin brass SCK1-52MW matte white SCK1-52CH SCK1-52OB oil-rubbed bronze chrome SCK1-52DF driftwood SCK1-52PN polished nickel

WET RATED

MOTOR, DOWNROD & LIGHT KIT FINISH SWATCHES

DUE TO THE NATURE OF MATERIALS; FINISHES COLOR, TEXTURE AND SHADING MAY VARY



BLADE SWATCHES

DUE TO THE NATURE OF MATERIALS; FINISHES COLOR, TEXTURE AND SHADING MAY VARY



INDEX

FANS PAG	E LIGHT KITS PAGE
FP10**	2 LK179**
FP1280**	2 LK4660***75-76
FP20**	2 LK4660SSBNW
FP240**	0 LK6721B**
FP3050**1	2 LK6721BDC**91-92
FP320**1	8 LK7912B**
FP6284**	0 LK8514***
FP6285B**2	2 LK8530**117-132
FP6728BBN	0 LK8534**
FP6729B***	
FP7500**18	6 FITTERS PAGE
FP7634**	8 F5**
FP7644**	4 F6**
FP7652**	6 F8**
FP7910**	2
FP8014**	
FP8062B**2	8 G1**
FP8404**3	8 G2**
FP8458**6	8 G3**
FP8511**6	4 G4**
FP8519BL4	0 G5**
FP8533**	0 G6**
FP9044***	
FP9052***18	O BLADES PAGE
FP9060***	
FP9072***	4 B260**
FPD5534**60-6	2 B272** 184
FPD7617***	4 B5080**197
FPD7619***	6 B5213WA
FPD8159***	0 B5280WA197
FPD8520**6	6 B5330WA197
FPD8534**56-5	
FPD8547**	
FPS7679**	
FPS7681**	
FPS7955B**	
FPS7981B**	
FPS8332B***4	
FPS8355B***5	
FPS8553**	
HA7966**	•
MA4660***	•
MA4660SSBNW	
MA6721B**	
MA7966**	
MAD6721**	
MAD7912B**	
MAD7997***	
MAD7998***	
MAD 8152***	
MAD 8514***	
MAD 8570**	
MAD8530**	
MAD8531**	2 BMP1197

INDEX

BLADES	PAGE	CONTROLS	PAGE
BPD1A	197	TW206	
BPD4**	197	TW206D	
BPP1**	197	TW306	
BPP4**	197	WC1WH	
BPW20CY	197	WC2WH	
BPW24MW	197	WC3WH	
BPW4660-44***			
BPW4660-52***			
BPW6090DNA			
BPW7912**			
BPW7913**			
BPW7914**			42, 202
BPW8152-56***		W1303WH	
BPW8152-64***		ACCESSORIES	PAGE
BPW8152-72***			
BPW8514-44***			
BPW8514-48***			52, 54, 56, 58, 60, 62, 204
BPW8514-52***			
BPW8514-56***			
BPW8514-60***			
BPW8515-64***		DR1-36**	
BPW8515-72***	148	DR1-48**	
BPW8515-84***	150	DR1-60**	
BPW8530-44**	118	DR1-72**	
BPW8530-48**	120	DR1-CP**	
BPW8530-52**	122	DR1SS-12***	
BPW8530-56**	124	DR1SS-12SSBNW	
BPW8530-60**	126		
BPW8531-64**			203
BPW8531-72**			
BPW8531-84**			
FP1022	_		
FP1026	_		
FP1030			
ISD1A			
ISD4A			
ISP1			
ISP4			
PAD1A			
PAD1C			
PAD2A			
PAP1	19/		
CONTROLS	DACE		
	PAGE		
C21			
C2519	•		
CR500			
CRL4**			204
CW5LA		SCK1-52**	
CW5WH			
CW6WH	200		
CW7WH	200		
CWRL4**	201		
SW24**19	0, 200		